

MAUCOUR - FRANCE Hélices & lignes d'arbres

OUTBOARD PROPELLERS



ALUMINIUM PROPELLERS



STAINLESS STEEL PERFORMANCE AT ALUMINUM PRICES

Stainless steel blade geometry used in all aluminum patterns results in less blade flex. Higher efficiency equals better fuel economy, better top end, faster hole shot, and excellent cornering & handling.

TUNED VENTS FOR FAST HOLE SHOT

Vent holes in the prop's barrel allow exhaust gases to escape, reducing water density around the propeller's blades during acceleration. This causes the propeller to rotate faster at slower speeds resulting in more HP. More HP at lower speeds means faster acceleration and a faster hole shot. Turning Point is the only manufacturer offering this race proven feature in our Hustler & Legacy Aluminum Propellers. Available on most models, please refer to selection chart.

PERFORMANCE TUNED RAKE ANGLES

Higher rake angles tighten the vortex produced by the prop, adding to boat lift and overall performance.

IMPROVE HANDLING AND BOAT LIFT

Through advanced pitch line and rake line cupping.

HIGH FLOW-THROUGH BARREL EXHAUST SYSTEM

Maximizing exhaust flow increases horsepower and top end speed.

TUNED PROGRESSIVE PITCH ANGLES

Accelerating and channeling water to minimize slip increases performance and fuel economy.

LONG LASTING FINISH – POWDER COATED

The 5 step process creates a uniform, durable, high-quality, and attractive finish that protects the aluminum from corrosion.

COMPATIBLE WITH COMPETITORS' HUB SYSTEMS

Works with Mercury[®] Flow-Torq[®], Michigan Wheel[®] XHS[®], Solas[®] Rubex[™] hub kit systems (All trademarks are the property of their respective owners). NOTE: Not applicable with Turning Point's 10, 20 and 200 Hub Kit series.

Hub Kit Available for Aluminum

Turning Point offers its unique hub and housing system from 8HP to 300+HP, a range of engines un-matched in the industry. Hub kit covered by USA & worldwide patents

Utilizing high tech shock absorbing polymers and a solid brass spindle, the Turning Point MasterGuard & MasterTorque hubs will not corrode or break like competing hubs, and are covered by an industry leading Lifetime Warranty. Each hub's one piece design ensures simple housing replacement, making a prop change quick and easy.



SQUEEZE CAST FOR ADDED STRENGTH

Turning Point Exclusive Process applied to all aluminum props - Squeeze Cast process generates the highest mechanical properties attainable in a cast product, resulting in tighter grain structures. Competitors use old Die Cast processes that results in high blade flex and poor performance.



TURNING POINT EXCLUSIVE PROCESS · TIGHT GRAIN · STRONG AND STIFF · REDUCES FLEX FOR MAXIMUM THRUST



COMPETITORS' PROCESS · POCKETS, VOIDS, AIR BUBBLES · WEAK AND FLEXIBLE · INNEFFI-CIENT TRANSFER OF POWER · POOR REPAIRABILITY





FOUR BLADE ALUMINUM HUSTLER PROPELLER

New Four Blade Design uniquely engineered with two blade geometries: two blades utilize the Hustler high performance variable rake and aggressive pitch design for incredible hole shot and cornering, and two blades utilize a "cleaver" style shape for high speed and maximum stern lift.

This combination results in the highest performance aluminum propeller on the market, unmatched in cornering, acceleration, boat handling, and top speed. This is the ultimate water sports propeller, but also offers any boater four blade performance with none of the usual top speed reductions normal to other designs.



MAUCOUR - FRANCE Hélices & lignes d'arbres

OUTBOARD PROPELLERS

HUB

ELIMINATE HUB SYSTEM VIBRATION & CHATTER

Innovative one-piece design reduces the number of parts and eliminates failures commonly seen in multi-part hub systems.

ELIMINATE HUB CRACKING & FAILURE

The glass reinforced high-tech polymer construction increases flexibilty, eliminating potential material stress fractures.

CORROSION RESISTANT MATERIALS

Premium corrosion resistant brass splines.

REDUCE GEAR SHOCK & ENGINE/DRIVE DAMAGE Shock absorbing hi-tech polymer cushion.

REDUCES INVENTORY COST

Turning Point is the only manufacturer to offer the hub and housing system down to 8HP outboard applications.

REDUCE PROP REPLACEMENT COST BY 20-30%

Hub kits are designed to be reusable even after most propeller impacts, eliminating the need to replace the hub system when replacing a damaged propeller.

EASY TO INSTALL - CONSUMER FRIENDLY

Clear and easy step by step directions coupled with minimal parts makes installation easy.

INCREASES PERFORMANCE AND HP

High-flow through barrel exhaust system maximizes exhaust flow increasing horsepower and top end speed.



INTERCHANGEABLE AVEC LES HÉLICES CONCURRENTES INTERCHANGES WITH OTHER MANUFACTURERS' PROPEL-LERS

Upgrades and replaces Mercury[®] Flow-Torq[®], Michigan Wheel[®] XHS[®], Solas[®] Rubex[™] hub kit systems (All trademarks are the property of their respective owners). NOTE: Not applicable with Turning Point's 10, 20 and 2<u>00</u> Hub Kit series.



REDUCES 25-75HP HUB INVENTORY BY ALMOST 60% Competitor's hub kit systems take 7 kits to fit engine applications in the 25-75HP range, where Turning Point only needs 3 kits (10 Series Hub Kits). US Patent #6,471,481, #6,685,432 & worldwide patents.

US and worldwide patents pending.



STAINLESS STEEL PROPELLERS

MAUCOUR - FRANCE

Hélices & lignes d'arbres

IMPROVED HANDLING AND BOAT LIFT

Through advanced pitch line and rake line cupping. maximizes exhaust flow increasing horsepower and top end speed.

TUNED PROGRESSIVE PITCH ANGLES

Accelerating and channeling water to minimize slip increases performance and fuel economy.

TUNED VENTS FOR FAST HOLE SHOT

Vent holes in the prop's barrel allow exhaust gases to escape, reducing water density around the propeller's blades during acceleration. This causes the propeller to rotate faster at slower speeds resulting in more HP. More HP at lower speeds means faster acceleration and a faster hole shot.

HIGH FLOW-THROUGH BARREL EXHAUST SYSTEM

Maximizing exhaust flow increases horsepower and top end speed

COMPATIBLE WITH COMPETITORS' HUB SYSTEMS

Works with Mercury® Flow-Torq®, Michigan Wheel® XHS®, Solas® Rubex™ hub kit systems (All trademarks are the property of their respective owners). NOTE: Not applicable with Turning Point's 10, 20 and 200 Hub Kit series.

HUB KIT SYSTEM AVAILABLE FOR STAINLESS Turning Point offers its unique hub and housing system from 8HP to 300+HP, a range of engines unmatched in the industry. Hub kit covered by USA & worldwide patents

Utilizing high tech shock absorbing polymers and a solid brass spindle, the Turning Point MasterGuard & MasterTorque hubs will not corrode or break like competing hubs, and are covered by an industry leading Lifetime Warranty. Each hub's one piece design ensures simple housing replacement, making a prop change quick and easy.





MAUCOUR FRANCE - VOTRE SPÉCIALISTE EN PROPULSION MARINE DEPUIS 1868 - WWW.MAUCOUR.FR 5, rue de la Dutée - CP 1202 - 44806 Saint-Herblain cedex-Tél. +33 (0)2 40 92 16 36 - Fax : +33 (0)2 40 92 02 89 - info@maucour.fr



	Engine	Year	Hub ref.	OEM Ref.	Ø x Pitch	Propeller Ref.
20 TO 35 HP - HUSTLER - ALUMINIUM						
	10 Splines					
25 HP 3cyl.		95/98	HHB 21	48-19638A40 48-19640A40	10-1/2 x 11 10-1/8 x 13	HHB R1 1011 HHB R1 1013
	40 TO 7	5 HP - HUSTLE	R - ALUMIN	NUM		
	13 Splines					
40/50 HP		95/98	HHB 11	40 42770440	424/2 0	
70 HP		91/95	HHB 11	48-42738A10 48-42740A10	12-1/2 x 8 12 x 10-1/2	HHB H1 1208 HHB H1 1210
75 HP		95/98	HHB 11	48-85632A40 48-816702A40	10-7/8 x 11	HHB H1 1011
				48-816702A40 48-816704A40	10-3/4 x 12 10-1/2 x 13	HHB H1 1012 HHB H1 1013
				48-816706A40 48-73140A40	10-3/8 x 14 10-1/8 x 15	HHB H1 1014 HHB H1 1015
				40-73140A40	10-1/0 X 15	HUP HI 1012
	40 TO 15	0 HP - HUSTLI	ER - ALUMI	NIUM		
	15 Splines					
75 HP		99	HHB 501	/	14 x 11	HHB LE1 1411
90 to 150 HP		95 & +	HHB 501	/	14 x 13 13-3/4 x 15	HHB LE1 1413 HHB LE1 1315
				/	13-1/4 x 17	HHB LE1 1317
				/	13-1/4 x 19 13-1/4 x 21	HHB LE1 1319 HHB LE1 1321
	40 T	0 75 HP - EXP		v		
	13 Splines		KESS INU.	^		
40/50 HP	15 Sprines	95/98	HHB 11			HHB E1 1209
70 HP		91/95	HHB 11	/	12 x 9 12 x 11	HHB E1 1211
75 HP		95/98	HHB 11	/	12 x 13	HHB E1 1213 HHB E1 1011
				/	10-1/2 x 11 10-1/2 x 12	HHB E1 1012
				/	10-1/2 x 13	HHB E1 1013 HHB E1 1014
				/	10-1/2 x 14 10-1/2 x 15	HHB E1 1015
	40 T(D 150 HP - EXP	RESS-INO	X		
	15 Splines		RESS INC			
75 HP	10 optilio	99	HHB 501	1	14 x 11	
90 to 150 HP		95 & +	HHB 501	/	14 x 11 14 x 13	HHB PA1 1411 HHB PA1 1413
				/	13-1/4 x 15 13-1/4 x 17	HHB PA1 1315 HHB PA1 1317
				/	13-1/4 x 19	HHB PA1 1319
				/	13-1/4 x 21	HHB PA1 1321